

## 9005

OSRAM ORIGINAL LINE | Halogen headlight lamps for cars



### Areas of application

- Headlight

### Product benefits

- OEM Quality
- Wide product range
- Reliable quality

### Product features

- Original spare parts

Technical data

Electrical data


Power input	73 W <sup>1)</sup>
Nominal wattage	60 W
Nominal voltage	12 V
Test voltage	13.2 V

<sup>1)</sup> Maximum

Light technical data

Color temperature	3200 K
Luminous flux	1860 lm
Luminous flux tolerance	±12 %

Dimensions & weight



Product line drawing

Length	80.3 mm
Diameter	12.0 mm
Product weight	28.00 g

Lifespan

Lifespan B3	280 h
Lifespan Tc	550 h

Additional product data

Base (standard designation)	P20d
-----------------------------	------

Product datasheet

Certificates & standards

ECE category	HB3
--------------	-----

Country specific categorizations

Order reference	9005
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300137193	OSRA9005	-	-	-

## Product datasheet

---

### Logistical Data

---

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321171214	9005	Blister 1	72 mm x 40 mm x 135 mm	0.39 dm <sup>3</sup>	31.00 g
4008321171221	9005	Shipping carton box 10	203 mm x 145 mm x 248 mm	7.30 dm <sup>3</sup>	410.00 g
4050300137193	9005	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm <sup>3</sup>	28.00 g
4050300137209	9005	Bundle 10	197 mm x 79 mm x 142 mm	2.21 dm <sup>3</sup>	280.00 g
4050300137216	9005	Shipping carton box 100	250 mm x 160 mm x 485 mm	19.40 dm <sup>3</sup>	3053.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

---

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.